



Classification Report
122- SERIES SYNTHETIC PRIMER
Commission Regulation (EU) No 2015/830 of 28 May 2015.

Company Identification

Supplier KUBILAY KIMYA VE BOYA SAN.TIC.LTD.STI.
Aliağa Organize Sanayi Bölgesi
113 Sok. No:6
35800 Aliağa / İzmir
TURKEY

Tel: +90 232 621 50 01
info@kubilayboya.com
www.kubilayboya.com

Mixture Identification

SDS No. 20525
Product name 122- SERIES SYNTHETIC PRIMER
Product number 122-SERİ
UN No. (ADR/RID) 1263

Hazard Identification**Hazard pictograms****Signal word**

Warning

Hazard statements

H226 Flammable liquid and vapour.
H315 Causes skin irritation.
H412 Harmful to aquatic life with long lasting effects.

122- SERIES SYNTHETIC PRIMER

Precautionary statements	<p>P102 Keep out of reach of children.</p> <p>P201 Obtain special instructions before use.</p> <p>P210 Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.</p> <p>P243 Take action to prevent static discharges.</p> <p>P260 Do not breathe dust/ fume/ gas/ mist/ vapours/ spray.</p> <p>P270 Do not eat, drink or smoke when using this product.</p> <p>P280 Wear protective gloves/ protective clothing/ eye protection/ face protection.</p> <p>P301+P310 IF SWALLOWED: Immediately call a POISON CENTER/ doctor.</p> <p>P302+P352 IF ON SKIN: Wash with plenty of water.</p> <p>P303+P361+P353 IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water or shower.</p> <p>P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.</p> <p>P370+P378 In case of fire: Use foam, carbon dioxide, dry powder or water fog to extinguish.</p> <p>P403+P233 Store in a well-ventilated place. Keep container tightly closed.</p> <p>P501 Dispose of contents/ container in accordance with national regulations.</p>
Child-Resistant Fastening	No
Tactile Warning of Danger	No

Classification

Physical hazards	Flam. Liq. 3 - H226
Health hazards	Skin Irrit. 2 - H315
Environmental hazards	Aquatic Chronic 3 - H412

Entered Formulation

SDS number	Name	Content %
20176	Naphtha (petroleum), hydrodesulfurized heavy; low boiling point hyd. (Note P) (20176)	15,9%

Formulation Notes 122-7011 (SDS 20248)'den save as ile üretildi (BA;11.12.2020;13:50).

Constituent Chemicals

1	Naphtha (petroleum), hydrodesulfurized heavy; low boiling point hyd. (Note P) (20176)	15,9%
CAS number: 64742-82-1	EC number: 265-185-4	Product number: S-0100
EU index number: 649-330-00-2	REACH registration number: —	
Physical hazards	Flam. Liq. 3 - H226	
Health hazards	Skin Irrit. 2 - H315, Unknown classification, STOT SE 3 - H336, Asp. Tox. 1 - H304	
Environmental hazards	Aquatic Chronic 2 - H411	

Physical Hazards

2.1 Explosives

Not Classified

2.2 Flammable Gases

Not Classified

2.3 Aerosols

122- SERIES SYNTHETIC PRIMER

Not Classified

2.4 Oxidising Gases

Not Classified

2.5 Gases Under Pressure

Not Classified

2.6 Flammable Liquids

Flam. Liq. 3 - H226

Flammable liquid and vapour.

% Content		16%
Flam. Liq. 3		16%
	Naphtha (petroleum), hydrodesulfurized heavy; low boiling point hyd. (Note P)	16%

2.7 Flammable Solids

Not Classified

2.8 Self Reactive Substances and Mixtures

Not Classified

2.9 Pyrophoric Liquids

Not Classified

2.10 Pyrophoric Solids

Not Classified

2.11 Self Heating Substances and Mixtures

Not Classified

2.12 Substances and Mixtures which in contact with water emit flammable gases

Not Classified

2.13 Oxidising Liquids

Not Classified

2.14 Oxidising Solids

Not Classified

2.15 Organic Peroxides

Not Classified

2.16 Corrosive to Metals

Not Classified

2.17 Desensitised Explosives

Not Classified

Health Hazards**3.1.1 Acute Toxicity (Oral)**

Not Classified

122- SERIES SYNTHETIC PRIMER

Total of % unknowns 0,0

Unknowns calculation used Low

3.1.2 Acute Toxicity (Dermal)

Not Classified

Total of % unknowns 0,0

Unknowns calculation used Low

3.1.3 Acute Toxicity (Inhalation)

Not Classified

Total of % unknowns 0,0

Unknowns calculation used Low

3.2 Skin Corrosion/Irritation

Skin Irrit. 2 - H315

Causes skin irritation.

Naphtha (petroleum), hydrodesulfurized heavy; low boiling point hyd. (Note P) 15.9%

Skin Irrit. 2 - H315

Skin Corrosion

--

Skin Irrit 2

1.59

Calculation method Additive

Skin Corrosion 0,0

Skin Irrit 2 1,59

3.3 Serious Eye Damage/Eye Irritation

Not Classified

3.4.1 Respiratory Sensitisation

Not Classified

3.4.2 Skin Sensitisation

Not Classified

3.5 Germ Cell Mutagenicity

Not Classified

3.6 Carcinogenicity

Not Classified

Carc 1A 0,0

Carc 1B 0,0

Carc 2 0,0

122- SERIES SYNTHETIC PRIMER

3.7 Reproductive Toxicity

Not Classified

3.7.1 Reproductive Toxicity (Lactation)

Not Classified

3.8.1 Specific Target Organ Toxicity - Single Exposure

Not Classified

3.8.2 Specific Target Organ Toxicity - Single Exposure (H335 & H336)

Not Classified

Naphtha (petroleum), hydrodesulfurized heavy; low boiling point hyd. (Note P)		15.9%
STOT SE 3 - H336		
STOT SE 3 H335		STOT SE 3 H336
--		0.795
STOT SE 3 H335	0,0	
STOT SE 3 H336	0,795	

3.9 Specific Target Organ Toxicity - Repeated Exposure

Not Classified

3.10 Aspiration Hazard

Not Classified

Kinematic viscosity \leq 20.5 mm²/s @ 40 °C False
(Hydrocarbons, Turpentine, and Pine Oils)

Asp. Tox 1 1,59

Environmental Hazards

4.1.1 Hazardous to the Aquatic Environment Short Term (Acute)

Not Classified

Total of % unknowns 0,0

Unknowns calculation used Low

4.1.2 Hazardous to the Aquatic Environment Long Term (Chronic)

Aquatic Chronic 3 - H412

Harmful to aquatic life with long lasting effects.

Naphtha (petroleum), hydrodesulfurized heavy; low boiling point hyd. (Note P)		15.9%			
Aquatic Chronic 2 - H411					
Degradability	M-Factor	Aquatic Chronic 1	Aquatic Chronic 2	Aquatic Chronic 3	Aquatic Chronic 4
--	--	--	0.636	6.36	0.636

122- SERIES SYNTHETIC PRIMER

Aquatic Chronic 1	0,0
Aquatic Chronic 2	0,636
Aquatic Chronic 3	6,36
Aquatic Chronic 4	0,636
Total of % unknowns	0,0
Unknowns calculation used	Low

5.1 Hazardous to the ozone layer

Not Classified